



Beetup Compact[®]

Beetup Compact is a selective herbicide which controls a wide range of weeds in sugar and red beets.

Active Ingredient:	80g/litre phenmedipham + 80g/litre desmedipham
Chemical Group:	Carbamate
Formulation:	Emulsifiable concentrate
Pack Size:	5 Litre
Compatibility:	Do not mix Beetup Compact with any foliar nutrients or surfactants



- **Beetup Compact provides critical early post-emergent weed control.**
- **Beetup Compact controls a wide range of important weeds in beets.**
- **Beetup Compact is a contact herbicide which only acts via the foliage of emerged weeds and therefore does not depend on soil type or moisture.**
- **Beetup Compact can be used in beets at any development stage after 2 true leaf.**
- ***Beetup Compact offers you highly cost-effective protection – don't settle for anything less...***

General Information:

Beetup Compact herbicide acts through the foliage of seedling broadleaved weeds to give selective weed control in sugar and red beet crops. This product should be used strictly in accordance with label recommendations.

Susceptible Weeds Include:

Seedling stages of chickweed, fathen, fumitory, groundsel, redroot, shepherd's purse, spurrey, nettle and twin cress.

Black nightshade, cornbind and willow weed are controlled only if treated up to the four true leaf stage.

Resistant Weeds Include:

Grass weeds, mature annual broadleaf weeds, perennial broadleaf weeds and wireweed.

Directions for Use

Beetup Compact does not require the addition of surfactants. Ensure spray equipment is thoroughly cleaned before use. Do not apply in more than 280 litres of water per hectare.

Mixing:

Partly fill the spray tank and add the required amount of Beetup Compact herbicide with agitation system operating. Add the remaining water and any mixing partners. Maintain agitation until spraying is complete. Do not allow spray mixture to stand overnight. Flush equipment with clean water after use.

Beetup Compact herbicide may be broadcast or band treated. For band treatment ensure that the use rate per sprayed area is consistent with label recommendations.

Recommendations for Use

Crop	Timing	Rate	Remarks
Sugar beet and Red beet	After the crop has 2 true leaves fully developed		Damage may occur especially on Red beet if treated prior to 2 true leaf stage.
	Weeds up to 4 true leaf	6 litres/ha in 200 litres of water	Best results are obtained when weeds are treated at the youngest possible stage.
	Weeds from 4-6 true leaves and hard to kill weeds up to 4 true leaves.	9 litres/ha in 200 litres of water.	A repeat application may be made to late germinating weeds at least 7 days after the first treatment Do not apply if air temperature is likely to rise above 29°C, and avoid treatment if rain is likely before spray has dried on the foliage. Herbicide activity will be slowed down in cool weather.

NOTE: DO NOT MIX BEETUP COMPACT WITH ANY FOLIAR NUTRIENTS OR SURFACTANTS.

Distributed by: Adria New Zealand Limited. P.O. Box 535 Kumeu, Auckland 1250,
NEW ZEALAND. Ph: +64-9-412-9817; Fax: +64-9-412-9807;
E-mail: adria@xtra.co.nz

®Beetup Compact is a registered trademark of United Phosphorus Pty, UK.

