



# Scorp<sup>®</sup> EC

A selective GRASS WEED HERBICIDE for controlling grass weeds in white clover, forestry, orchards, nurseries, non-crop areas and certain broadleaf crops.

---

<u>Active Ingredient:</u>	100g/litre haloxyfop-P as the methyl ester
<u>Chemical Group:</u>	Carboxylic acid derivative
<u>Formulation:</u>	Emulsifiable concentrate
<u>Pack Size:</u>	1 and 10 litre
<u>Compatibility:</u>	Compatible with most commonly used herbicides.

---

Scorp EC controls many annual and perennial grasses – controlling a wide range of grass weeds. It is rapidly absorbed by plant foliage and rapidly rainfast for maximum efficacy.



Scorp<sup>®</sup> EC offers highly cost-effective grass weed control, with many advantages:

- **Widest range** of grass weeds controlled ✓
- Easy-to-measure **liquid formulation** ✓
- Improved **crop yields** ✓

**DIRECTIONS FOR USE:**

Use Scorp EC with a suitable spraying oil to optimise weed control. Use Scorp EC **WITHOUT** spraying oil on peas, lentils, nursery plants and in mixtures with other herbicides. **Broadleaf weeds:** Scorp EC will not control broadleaf weeds and sedges.

**USE RATES FOR GRASS WEED CONTROL:**

GRASS WEED	BROADCAST L/ha	KNAPSACK mL/10L	SPOTGUN mL/L	HANDGUN mL/100L	COMMENTS
Pampas grass	7.5	150	60	500	For best results treat plants less than 1m high.
African feather grass					Repeat application may be required.
Sod bound couch, Mercer grass, browntop, ratstail, Indian doab, kikuyu, paspalum	3.75 - 5.0	60	40	375	Use high rate for grass weeds at an advanced growth stage or grass weeds under stress or slow growth conditions. Use high rate on sod bound couch. Use 2.5 L/ha for suppression of these grass weeds in Lucerne.
Cultivated couch	1.25 – 2.5				Use low rate on young or actively regenerating couch after extensive cultivation to break roots into small pieces. Use high rate on tillering couch. Use low rate for suppression in crops and high rate for longer term control.
Perennial ryegrass	1.25 – 2.5	25	12.5	250	Broadcast application: Use low rate with addition of oil. Use high rate without oil. For perennial ryegrass at an advanced growth stage or growing under stress or slow growth conditions, use high rate plus oil.
Cocksfoot, prairie grass, Yorkshire fog, sweet vernal, soft brome (goose grass)	1.25 – 2.5	25	12.5	250	Use high rate for grass weeds at an advanced growth stage or grass weeds growing under stress or slow growth conditions.
Annual poa	1.5	30	15	300	Use oil for grass weeds at an advanced growth stage or grass weeds growing under stress or slow growth conditions.
Annual grass weeds including annual ryegrass, summer grass, barnyard grass, bristle grass and volunteer cereals.	0.6	12.5	6		
Wild oats	0.5	12.5	6		
<b>Hair grass and chewings fescue are not controlled at rates listed above.</b>					

**CROPS AND SITUATIONS:**

<b>Forestry tree release:</b>	Scorp EC may be applied over forestry species including Radiata pine <i>Eucalyptus</i> species. To control broadleaf weeds in Radiata pine, atrazine and simazine, terbuthylazine and clopyralid herbicides may be added. To control broadleaf weeds in <i>Eucalyptus</i> species, clopyralid may be added. Do not add spraying oil to mixtures of Scorp EC with either clopyralid or terbuthylazine herbicides.
<b>Tree nurseries:</b>	Scorp EC may be applied over seedling Radiata pine, <i>Eucalyptus</i> , Acacia, Casuarina and other seedling plantation and ornamental tree species. Where there is no previous experience, apply Scorp EC over a few plants before treating larger areas. Do not add spraying oil.
<b>Lucerne, clover:</b>	Apply Scorp EC in mixture with spraying oil.
<b>Pipfruit, citrus:</b>	Scorp EC, in mixture with spraying oil, should be applied as a directed spray around the base of the trees, to avoid direct contact with the fruit.
<b>Peas, lentils:</b>	Apply Scorp EC at no more than 1.5L/ha. Do not add spraying oil.
<b>Asparagus:</b>	Apply Scorp EC, in mixture with spraying oil, after the final cut.
<b>Onions:</b>	Apply Scorp EC, at no more than 1.5 litres/ha, in mixture with spraying oil.

Registered to and Distributed by: Adria New Zealand Limited. P.O. Box 535 Kumeu, Auckland 1250, NEW ZEALAND.  
Ph: +64-9-412-9817; Fax: +64-9-412-9807

[www.adriacp.co.nz](http://www.adriacp.co.nz)

Scorp EC is Registered pursuant to the ACVM Act 1997, Approval No. P7846